

California Regional Water Quality Control Board
Santa Ana Region

November 18, 2005

STAFF REPORT

ITEM: 9

SUBJECT: Rescission of Waste Discharge Requirements, Order No. R8-2005-0117

DISCUSSION:

Waste discharge requirements for the facilities listed in Attachment "A" of Order No. R8-2005-0117 are no longer necessary because the facilities will be regulated pursuant to the terms and conditions of the General Permit for Storm Water Discharges Associated with Industrial Activities, or because discharges from the facilities have ceased.

RECOMMENDATION:

Adopt Order No. R8-2005-0117, as presented.

In addition to the dischargers listed in Attachment "A", comments were solicited from the following agencies:

U.S. Environmental Protection Agency, Permits Issuance Section (WTR-5) – Doug Eberhardt
State Water Resources Control Board, Office of the Chief Counsel – Jorge Leon
State Water Resources Control Board, Division of Water Quality – Jim Maughan
California Department of Health Services, San Diego – Steve Williams
State Department of Water Resources - Glendale
State Department of Fish and Game – Long Beach
Orange County Water District – Nira Yamachika
Orange County Resources and Development Management Department – Chris Crompton
Riverside County Department of Environmental Health Services
Riverside County Transportation/Flood Control Department

ORDER NO. R8-2005-0117**Attachment "A"**

ORANGE COUNTY			
	<u>ORDER NO.</u>	<u>Facility and Location</u>	<u>Reason for Rescission</u>
1	98-4	Adams Steel, Anaheim	Facility to be covered under General Permit for Storm Water Discharges Associated with Industrial Activities, Order No. 97-03-DWQ
RIVERSIDE COUNTY			
	<u>ORDER NO.</u>	<u>Facility and Location</u>	<u>Reason for Rescission</u>
2	00-40	B.F. Goodrich Aerospace (Formerly Rohr, Inc.)	Discharges have been eliminated

California Regional Water Quality Control Board
Santa Ana Region

ORDER NO. R8-2005-0117

Rescission of Waste Discharge Requirements
for
Specific Facilities

The California Regional Water Quality Control Board, Santa Ana Region (hereinafter Board), finds that:

1. The Orders listed in Attachment "A" were issued by the Board at various times for the facilities described therein. Attachment "A" is hereby made a part of this Order. Waste discharge requirements for the facilities listed in Attachment "A" are no longer necessary because the facilities will be regulated pursuant to the terms and conditions of the General Permit for Storm Water Discharges Associated with Industrial Activities, or because discharges from the facilities have ceased.
2. This action is based on the fact that specific discharges are now covered under other waste discharge requirements, or that discharges from the facilities have ceased. As such, this action is exempt from the requirements of the California Environmental Quality Act in accordance with Section 15061 (b) (3), Chapter 3, Title 14 of the California Code of Regulations.
3. The Board has notified the dischargers and interested agencies and persons of its intent to rescind the Orders for the facilities listed in Attachment "A", and has provided them with an opportunity to submit written comments and recommendations.
4. The Board, in a public meeting, heard and considered all comments pertaining to the rescission of waste discharge requirements.

IT IS HEREBY ORDERED that the Orders listed in Attachment "A" be rescinded.

I, Gerard J. Thibeault, Executive Officer, do hereby certify that the foregoing is a full, true, and correct copy of an Order adopted by the California Regional Water Quality Control Board, Santa Ana Region, on November 18, 2005.

Gerard J. Thibeault
Executive Officer



California Regional Water Quality Control Board

Santa Ana Region



Alan C. Lloyd, Ph.D.
Agency Secretary

3737 Main Street, Suite 500, Riverside, California 92501-3348
Phone (951) 782-4130 – FAX (951) 781-6288 – TTY (951) 782-3221
<http://www.waterboards.ca.gov/santaana>

Arnold Schwarzenegger
Governor

October 19, 2005

George Adams, Owner
Adams Steel
3200 East Frontera Street
Anaheim, CA 92806

RESCISSION OF WASTE DISCHARGE REQUIREMENTS FOR ADAMS STEEL, ORDER NO. 98-4

Dear Mr. Adams:

Enclosed is a copy of tentative Order No. R8-2005-0117, which is a blanket Order rescinding several Orders issued by this Board, including those for Adams Steel (Order No. 98-4). Order No. 98-4 is being rescinded because your facility no longer discharges any process water into surface waters except stormwater discharges. Currently, you are in the process of obtaining coverage for stormwater discharges under the General Permit for Storm Water Discharges Associated with Industrial Activities, Order No. 97-03-DWQ. If you have any questions regarding the General Permit for Storm Water Discharges Associated with Industrial Activities, please contact Patrice Copeland at (951) 321-4576.

This Order is scheduled for consideration by the Regional Board at the December 20, 2004 meeting. The Board meeting will start at 9 a.m. and will be held at the City Council Chambers of Loma Linda, 25541 Barton Road, Loma Linda. Please submit any comments that you may have as soon as possible.

If you have any questions, please contact J. Shami at (951) 782-3288.

Sincerely,

for Filomeno T. Martinez
Joanne E. Schneider
Environmental Program Manager

Enclosure: Tentative Order No. R8-2005-0117

JIS/R8-2005-117.res

California Environmental Protection Agency



Recycled Paper



California Regional Water Quality Control Board

Santa Ana Region



Alan C. Lloyd, Ph.D.
Agency Secretary

3737 Main Street, Suite 500, Riverside, California 92501-3348
Phone (951) 782-4130 – FAX (951) 781-6288 – TTY (951) 782-3221
<http://www.waterboards.ca.gov/santaana>

Arnold Schwarzenegger
Governor

October 19, 2005

U.S. Environmental Protection Agency, Permits Issuance Section (WTR-5) – Doug Eberhardt
State Water Resources Control Board, Office of the Chief Counsel – Jorge Leon
State Water Resources Control Board, Division of Water Quality – Jim Maughan
California Department of Health Services, San Diego – Steve Williams
State Department of Water Resources - Glendale
State Department of Fish and Game – Long Beach
Orange County Water District – Nira Yamachika
Orange County Resources and Development Management Department – Chris Crompton
Riverside County Department of Environmental Health Services
Riverside County Transportation/Flood Control Department

RESCISSION OF WASTE DISCHARGE REQUIREMENTS FOR SPECIFIC FACILITIES, ORDER NO. R8-2005-0117

Ladies and Gentlemen:

Enclosed is a copy of tentative Order No. R8-2005-0117, which is a blanket Order rescinding waste discharge requirements for specific dischargers. The Orders for the dischargers listed in Attachment "A" were adopted by the Board at various times. Rescission of these Orders is being considered because the facilities will now be regulated pursuant to the terms and conditions of the General Permit for Storm Water Discharges Associated with Industrial Activities or because discharges from the facilities have ceased.

This Order is scheduled for consideration by the Board at the November 18, 2005 meeting. The Board meeting will start at 9 a.m. and will be held at the City Council Chambers of Loma Linda, 25541 Barton Road, Loma Linda. Please provide any comments that you may have as soon as possible.

If you have any questions, please contact J. Shami at (951) 782-3288.

Sincerely,

for Filomeno J. Martinez
Joanne E. Schneider
Environmental Program Manager

Enclosure: Tentative Order No. R8-2005-0117

JIS/R8-2005-117.res

California Environmental Protection Agency

